



包装新时代 首选太平洋

无锡市太平洋新材料股份有限公司

Wuxi Pacific

New Materials Co., Ltd



[www.pacificpack.cn](http://www.pacificpack.cn)

中国 江苏



## 关于我们 ABOUT US

无锡市太平洋新材料股份有限公司专业从事多层共挤膜和功能性薄膜的研发、生产、销售以及售后服务。公司成立于1998年，占地面积3万多平方米，公司根据客户产品类别和市场定位，提供有效合理的包装整体解决方案。

目前公司拥有15条吹膜产线，包括德国W&H九层共挤吹膜设备1台，加拿大宾顿（BE）九层共挤吹膜设备2台，工业吹膜设备8台，加拿大MACRO五层收缩膜设备4台，专业高速制袋机20台。年产能16,000吨。多层共挤膜具有高阻隔性、密封性、透明性、保鲜性；可抽真空、气垫缓冲、拉伸、印刷、高温蒸煮、低温冷藏等，应用于食品、日化、医药、纺织、化工等领域。收缩袋具有高收缩、高阻隔性的特点，确保鲜肉产品不仅有良好的外观，还能长久保持新鲜度。

太平洋新材料建有专业的检测实验室；配有空气净化系统的高洁净厂房；健全的体系，公司已经通过ISO9001、FSSC22000、HACCP、QS等认证，获得多项专利。产品已覆盖北美、南美、亚洲、亚洲、中东等50多个国家和地区。

太平洋新材料遵循“质量为先，信誉为重，管理为本，服务为诚”的经营理念。用技术赢得市场，以服务取得信任。



ISO9001质量管理体系认证



FSSC22000食品安全体系认证



HACCP食品安全体系认证

Wuxi Pacific New Materials Co., Ltd. was established in 1998, specializing in R&D, production, sales and after-sale service of multi-layer co-extruded film and functional film. Wuxi Pacific covers an area of more than 30,000 m<sup>2</sup>. Wuxi Pacific provides effective and reasonable flexible packaging solutions according to product categories and market positioning.

Wuxi Pacific owns 15 blown-up production lines, including 1 German W&H 9-layer blown-up extruders, 2 Canadian BE 9-layer blown-up extruders, 8 industrial blown-up extruders, 4 Canadian MACRO 5-layer shrink film equipment and 20 high-speed pouch making machines. The annual production capacity reaches 16,000 tons. Wuxi Pacific manufactures multi-layer co-extruded film with features of high barrier, heat sealing, transparency and freshness. With multi-functions in vacuuming, air cushioning, stretching, printing, high-temperature boiling, freezing, films are widely used in food packaging, daily chemicals, pharmaceutical, textile and chemical industries. With the features of high shrink rate and high barrier, shrink bag ensures good appearance and freshness in meat packaging.

Wuxi Pacific owns professional testing laboratory and highly clean workshop with air purifying system. We passed ISO9001, FSSC22000, HACCP, QS and obtained many patents. The products have covered more than 50 countries and regions, such as North America, South America, Australia, Asia and the Middle East.

Wuxi Pacific follows the business philosophy: quality is priority, credit is essential, management is basic, service is oriented. Win the market with technology and gain trust with service.





## PVDC收缩膜 / 袋 PVDC Shrink Film/ Bag

产品应用：海产，奶酪，冷鲜牛羊肉  
Product Application: seafood, cheese, fresh meat

### 产品特点 Features

- 1. 高阻氧性** 可阻隔氧气、气味等，使包装物达到更长保质期
- 2. 高阻水性** 可阻隔水分，避免风干或水分流失造成的口感变化
- 3. 高收缩率** 热收缩时紧贴肉制品表面，增强密封性，减少血水渗出
- 4. 高透明度** 更薄且紧贴产品表面，提高透明度，更有效的展示产品
- 5. 高柔韧性** 可以在-40℃的环境储存，薄膜依旧具有很好的柔韧性
- 6. 低成本** 产品强度高，厚度薄，降低大量包装的成本
- 7. 低残留** 多种材料熔融共挤工艺，无残留溶剂污染
- 8. 可印刷** 通过表面印刷降低标签使用量和劳动时间，提升效能



1. High oxygen resistance: block oxygen and odor to reach longer shelf life
2. High water vapor resistance: block water and avoid taste change caused by air drying or water loss
3. High shrinkage rate: high shrinkage rate ensures closing to meat surface in order to enhance sealing and reduce bleeding
4. High transparency: thinner and close to the product to raise transparency with effective display
5. High flexibility: good flexibility on the storage of - 40 °C
6. Low cost: high strength and thin thickness to reduce packaging cost
7. Low residue: melting co-extruded process without residual solvent pollution
8. Printable: reduce label usage and labor time through surface printing

# EVA收缩膜 / 袋 EVA Shrink Film/ Bag

产品应用：冷冻牛羊肉，鲜肉，禽类  
Product Application: seafood, cheese, fresh meat

## 产品特点 Features

- |                          |   |
|--------------------------|---|
| -EVA材质                   | -EVA  |
| -85-90摄氏度收缩              | -Shrink at 85-95°C  |
| -优异的横向纵向收缩率              | -higher shrink rate   |
| -良好的抗穿刺性                 | -good puncture resistance   |
| -食品级                     | -food grade   |
| -厚度45um-100um            | -gauge 45um-100um   |
| -宽度165mm-600mm           | -width 165mm-600mm  |
| -袋子长度100mm-1200mm        | -bag length 100mm-1200mm  |
| -膜卷最长可达1500m             | -roll stock length 1500m  |
| -可双面印刷                   | -print on front and back sides  |
| -底边封，可直切或弯切，<br>可供应筒膜及袋子 | -bottom sealing, straight cut or curved cut,<br>tubing film and bag are available |



- |         |                      |
|---------|----------------------|
| 1. 外形美观 | 1. Good appearance   |
| 2. 保护性好 | 2. Good protection   |
| 3. 保洁性好 | 3. Good cleanliness  |
| 4. 经济性好 | 4. Good economy      |
| 5. 稳定性好 | 5. Good stability    |
| 6. 透明性好 | 6. Good transparency |

## 真空包装袋 Vacuum Pouch

大多数易腐食品需要真空包装，真空包装袋可以延长食品保质期，适用于需要阻氧阻湿以及保香、保味、防紫外的肉制品、奶酪、海产品等食品。真空包装薄膜与袋系列采用的都是进口食品级原料，产品遵守FDA认证，可直接与食品接触。可提供不同类型的产品，如中阻隔包装袋，高阻隔包装袋，水煮包装袋等。

Most perishable foods need vacuum packaging. Vacuum packaging extends the shelf life, which is applicable to meat, cheese, seafood packaging with oxygen and moisture resistance, aroma and taste protection, and UV protection. The vacuum packaging film and bag series use imported food grade resin. With compliance of FDA certification, it can directly contact with food. We can provide different types of products, such as medium barrier packaging bags, high barrier packaging bags and water boiling packaging bags.



## 产品应用 Product Application

鲜肉：如冷冻牛肉、冷冻猪肉、肉块、肉片；

腌制品：如火腿、熏肉、香肠、烤肉、烤鸡、卤蛋；

乳制品类：如干酪、黄油；

海产品类：如冷冻鱼肉、腌鱼、蟹肉；

粉制品类：如咖啡、粉质干酪；

特产类：豆腐干、咸菜、花生、枣、干鲜蔬菜、土特产等。

Fresh meat: frozen beef, frozen pork, meat pieces and meat slices;

Pickled products: ham, bacon, sausage, roast meat, roast chicken and egg;

Dairy products: cheese and butter;

Marine products: frozen fish, salted fish and crab meat;


Powder products: coffee and powder cheese;

Specialties: dried bean curd, pickles, peanuts, dates, dried fresh vegetables, local specialties, etc.



## 主要规格 Main specifications

系列名称	材 料	产品优点
高阻隔系列	PA/EVOH/PE EVOH是阻隔层	EVOH是阻隔层，高阻隔性能
		PA是表层，良好的抗穿刺性能
		PE层直接接触食物，包装食物安全健康
		MLLDPE的密封层，具有优良的密封性能
厚度范围：25um-200um		
中阻隔系列	PA/PE PA是阻隔层	PA是阻隔层，中阻隔性能
		PA是表层，良好的抗穿刺性能
		厚度范围：25um-200um



## 家用压花真空膜 / 袋 Embossed Vacuum Film/ Pouch

### 特色 Features

- 1、袋子内侧有网状纹路空气通道，99.99%抽真空无死角，保留食物食物的新鲜度、口感及营养价值。
  - 2、适用于家用真空包装机袋、通道深度达2MM以上，5秒即可完成封装。
  - 3、100%食品级材料，安全无毒符合SGS标准，不含BPA，通过FDA认证。
  - 4、适用于室温、冷藏和冷冻，37%的尼龙含量，存储保存周期可以比普通的真空袋延长7天。
  - 5、装骨头类食品都不会漏，耐-18℃温存储。
  - 6、可重复使用，可用于微波炉。
  - 7、可根据客户要求定制尺寸、厚度、颜色；同时供应膜卷。
1. Designed with meshed lines for air flow, the inner bag could be vacuumed 99.99% entirely to reserve food freshness, taste and nutrition.
2. Suitable for household vacuum sealer, depth of the channel could reach above 2mm, sealed in 5 seconds.
3. 100% food grade resin, certificated by SGS and FDA, free of BPA.
4. Suitable for ambient, chill and freezing conditions. Nylon content 37%, shelf life 7 days longer than normal vacuum pouches.
5. Suitable for packing food with bones. Low temperature resistant to -18°C
6. Reusable. Microwave safe.
7. Customize size, thickness and color according to different requirements. Roll stocks are also available.

# 功能性产品包装 Functional Product Packaging

## 1. 高温水煮

(耐100摄氏度水煮, 经过水煮后产品不分层、不漏包)

High temperature water boiling (Resistant to 100°C water boiling. The pouch remains complete after water boiling.)



## 2. 抗穿刺膜

(具有良好的耐穿刺性和韧性, 适用于带骨肉类、鱼类或电子产品的包装)

Anti-puncture (With puncture resistance and toughness, suitable for packaging of meat, fish or electronic products with bones.)



## 3. 抗静电膜

(有效消除加工、应用中产生的静电、减少静电吸尘、提高生产效率、降低静电积累对电子产品的损坏)

Anti-static (Effectively eliminate static electricity generated in processing. Reduce electrostatic dust collection and improve production efficiency. Reduce damage to electronic products caused by static electricity accumulation.)



## 4. 冷、热防雾

(防止水汽在材料表面结雾影响产品透明度, 提供给内容物满意的视觉吸引力)

Cold/hot anti-fog (Prevent water vapor from fogging on film surface and affect film transparency. Provide satisfactory visual attraction for the contents.)



### 5. 易揭膜

(可作为塑料杯、盒等包装容器的盖材使用,薄膜与容器封合后,具有易开封性,也可以薄膜自身封合且易开启,如奶酪棒包装)

Easy peel (Used as lid film of plastic cups, boxes and other packaging containers. It is easy to peel when film sealed with the container. Film itself can be sealed and peeled, such as cheese stick packaging.)



### 7. PPP膜

(作为牛奶封口包装)

PPP film (Used for milk sealing package.)



### 6. PP膜

(可与PP餐盒进行热帖,强度高。也可用作盖膜,强度高)

PP film (Laminate with PP box. It can be used as lid film with high strength.)



### 8. 拉伸膜

(可用于真空包装机,薄膜经拉伸处理后进行肉类、鱼类、乳制品等的包装)

Thermoforming film (Used for thermoforming packaging machine. The film can be used for packaging meat, fish, dairy products, etc. after stretching.)





### 9. 水袋膜

(适用于大容量液体包装, 产品耐跌落、韧性好、承重强)

Water bag film (Suitable for liquid packaging, with features of drop resistance, toughness and load bearing.)



### 10. 热灌装膜

(用于各种酱料汤汁包装, 配套自动包装机)


Hot-fill film (Used for sauces and soups packaging, equipped with automatic packaging machine.)



### 11. 单色膜

(蓝色、乳白、黄色等带颜色的薄膜)

Single-color film (Blue, milky white, yellow and others are available.)



### 12. 抗UV膜

(有效保护被包装产品免受紫外线损害)

Anti-UV film (Effectively protect packaged products from UV damage.)



### 13. 气垫包装基材膜

(用于产品缓冲保护)

Air cushion packaging film (Used for product buffer protection.)



# 工业包装 Industrial Packaging

## 产品应用 Product Application



吨包袋 Ton bag



缓冲气柱膜 Air cushion film



气球膜 Balloon film



电子产品 Electronic products




化工产品 Chemical products



家纺包装 Household textile



地毯膜 Carpet film



## 纸塑复合袋 Paper Plastic Composite Bag

### 纸塑复合袋产品优势 Product advantages

- |            |   |
|------------|---|
| -密封性好      | -Excellent sealing                                  |
| -外表美观      | -Aesthetic appearance                               |
| -防水性好      | -Good water-proof                                   |
| -抗穿刺抗撕裂    | -Good anti-puncture strength; highly tear resistant |
| -抗滑性能好     | -Good anti-skid performance                         |
| -比普通编织袋强度高 | -Better strength than common woven bag              |
| -便于装卸      | -Easy handling                                      |
| -容易叠放      | -Easy folding                                       |

### 适用范围 Application

广泛应用于工业，电子，航天，科技、军工等粉状或粒状的固体物料及柔性物品的包装  
The paper-plastic composite bag is widely used in packaging solids interms of powder or granules and flexible items, in fields of manufacturing, electron, aerospace, hightech, and military industry.



**无锡市太平洋新材料股份有限公司**  
**Wuxi Pacific New Materials Co., Ltd**

地址：江苏省无锡市新区锡义路88号

Add:88 Xiyi Road,New District,Wuxi,Jiangsu214111,China

电话(Tel):0510-88275532

传真(Fax):0510-88275477

邮箱(E-mail):sales@pacificpack.cn

www.pacificpack.cn